

JESCO HUSKY DUMPER® HEAVY DUTY FORMED BASE

12 gauge body • 8 gauge base • Stackable 3 high empty



1/2 cu. yd. shown

Part No.	Yard Cap.	Wt. Cap.	L" x W" x H"	Fork Openings"	Aprpr. Wt.
211701	1/4	2000	49 30 ³ / ₄ 26 ¹ / ₂	2 ¹ / ₂ x 8 ¹ / ₂ x 20	305
211705	1/3	2000	48 ¹ / ₂ 30 ³ / ₄ 31 ¹ / ₂	2 ¹ / ₂ x 8 ¹ / ₂ x 20	315
211711	1/2	2000	48 ¹ / ₂ 41 ¹ / ₂ 31 ¹ / ₂	2 ¹ / ₂ x 11 x 30	365
211731	1	2000	62 41 ¹ / ₂ 37	2 ¹ / ₂ x 11 x 30	425
211741	1 1/2	2000	62 59 ¹ / ₂ 37	2 ¹ / ₂ x 14 x 48	540
211751	2	2000	64 59 ¹ / ₂ 46	2 ¹ / ₂ x 14 x 48	600
211761	2 1/2	2000	64 59 ¹ / ₂ 51	2 ¹ / ₂ x 14 x 48	620
*211771	3	2000	71 ¹ / ₂ 65 ¹ / ₂ 59 ¹ / ₂	2 ¹ / ₂ x 9 ¹ / ₂ x 39	810
*211781	4	2000	71 ¹ / ₂ 85 ¹ / ₂ 59 ¹ / ₂	2 ¹ / ₂ x 9 ¹ / ₂ x 39	970

* Not stackable, casters not recommended. Non stock item, manufactured to order.

JESCO HUSKY DUMPER® EXTRA HEAVY DUTY FORMED BASE

10 gauge body • 8 gauge base • Stackable 3 high empty



1 cu. yd. shown

Part No.	Yard Cap.	Wt. Cap.	L" x W" x H"	Fork Openings"	Aprpr. Wt.
211531	1	4000	62 41 ¹ / ₂ 37	2 ¹ / ₂ x 11 x 30	485
211541	1 1/2	4000	62 59 ¹ / ₂ 37	2 ¹ / ₂ x 14 x 48	630
211551	2	4000	64 59 ¹ / ₂ 46	2 ¹ / ₂ x 14 x 48	690
211561	2 1/2	4000	64 59 ¹ / ₂ 51	2 ¹ / ₂ x 14 x 48	730

JESCO HUSKY DUMPER® SUPER HEAVY DUTY FORMED BASE

7 gauge body • Base: 8 gauge (1/4-1/2 yd.) / .220 gauge (3/4-2 1/2 yd.) • Stackable 3 high empty



2 1/2 cu. yd. shown

Part No.	Yard Cap.	Wt. Cap.	L" x W" x H"	Fork Openings"	Aprpr. Wt.
211301	1/4	4000	49 30 ³ / ₄ 26 ¹ / ₂	2 ¹ / ₂ x 8 ¹ / ₂ x 20	375
211305	1/3	4000	48 ¹ / ₂ 30 ³ / ₄ 31 ¹ / ₂	2 ¹ / ₂ x 8 ¹ / ₂ x 20	405
211311	1/2	4000	48 ¹ / ₂ 41 ¹ / ₂ 31 ¹ / ₂	2 ¹ / ₂ x 11 x 30	470
211321	3/4	5000	56 ³ / ₄ 41 ¹ / ₂ 35 ¹ / ₂	2 ¹ / ₂ x 11 x 30	575
211331	1	6000	62 41 ¹ / ₂ 37	2 ¹ / ₂ x 11 x 30	620
211341	1 1/2	6000	62 59 ¹ / ₂ 37	2 ¹ / ₂ x 11 x 48	785
*211346	1 1/2	6000	64 46 ¹ / ₂ 46	2 ¹ / ₂ x 13 ¹ / ₂ x 35	750
211351	2	6000	64 59 ¹ / ₂ 46	2 ¹ / ₂ x 14 x 48	880
*211356	2	6000	64 46 ¹ / ₂ 51	2 ¹ / ₂ x 13 ¹ / ₂ x 35	790
211361	2 1/2	6000	64 59 ¹ / ₂ 51	2 ¹ / ₂ x 14 x 48	905

* Narrow models. Non stock item, manufactured to order.



From the simplest to the complex, Jesco does it best!

JESCOHUSKYDUMPER® SUPER EXTRA HEAVY DUTY STRUCTURAL BASE

7 gauge body • 1/4" base • Non-stackable • Manufactured to order



2½ cu. yd. shown

Units are designed for hundreds of applications where a structural base is a must. Rockers on 1½ through 2½ yard are mounted in-board and gusseted to provide increased strength to hopper body. Uses: steel processing, heavy stampings, scrap yards etc.

Part No.	Yard Cap.	Wt. Cap.	L" x W" x H"			Fork Openings"	Appr. Wt.
211332	1	6000	62	41½	37	3 x 11¼ x 30	660
211342	1½	6000	62	59½	37	3 x 11¼ x 30	790
211352	2	6000	64	59½	46	3 x 11 x 30	890
211362	2½	6000	64	59½	51	3 x 11¼ x 30	930

JESCOHUSKYDUMPER® LARGE VOLUME HOPPERS SUPER HEAVY DUTY STRUCTURAL BASE

7 gauge body • Base: 1/4" (3-6 yd.) / 3/8" (8-10 yd.) • Non-stackable • Manufactured to order



3 cu. yd. shown

These units are designed to meet your bulk handling requirements. Used to handle large volumes - metal, wood, plastic, cardboard, scrap etc. Body has been reinforced for increased strength.

Part No.	Yard Cap.	Wt. Cap.	L" x W" x H"			Fork Openings"	Appr. Wt.
**211371	3	6000	71½	65½	59½	3 x 10 x 39	1250
**211381	4	6000	71½	85½	59½	3 x 10 x 39	1350
**211391	5	6000	71½	105½	59½	3 x 10 x 39	1550
* 211411	6	6000	71½	125½	59½	3 x 10 x 39	1650
* 211431	8	10000	91	109	70	3 x 10 x 50	3000
* 211451	10	10000	91	135	70	3 x 10 x 50	3500

* Casters not available. ** Special base required for use with casters. See page 8.

JESCOHUSKYDUMPER® LOW PROFILE HOPPERS SUPER HEAVY DUTY FORMED BASE

7 gauge body • 8 gauge base • Stackable 3 high empty • Manufactured to order




¼ cu. yd. shown

These units are designed to meet height restrictions that cannot be obtained with standard hoppers. Used under presses, conveyors or work stations where space is a premium. Lids not available.

Part No.	Yard Cap.	Wt. Cap.	L" x W" x H"			Fork Openings"	Appr. Wt.
212299	1/8	2000	30	28½	17	2½ x 7½ x 18	210
212301	1/4	4000	30	41½	17	2½ x 10¾ x 29½	260
212305	1/3	4000	44	41½	24	2½ x 10¾ x 29½	370
*212311	1/2	4000	44	49½	24	2½ x 10¾ x 29½	410

* Not stackable

JESCO PARTITIONS



Crating Charges:

- 1-4 Panels \$35
- 5-20 Panels \$55
- 21-30 Panels \$65

Channel Line Posts

Used as stiffener every 15 ft.

Part No.	Height	Wt.
301251	7'	14
301252	8'	16
301254	10'	19

Corner Angle

Part No.	Height	Wt.
301271	7'	7
301272	8'	8
301274	10'	10

Three-way clips

Part No.	Wt.
301363	.82

Adjustable Corner Angle

Part No.	Height	Wt.
301281	7'	11
301282	8'	13
301284	10'	16

Wall Clips

Part No.	Wt.
301361	.40

Adjustable Wall Clips

Allows up to 1" of adjustment.

Part No.	Wt.
301362	.65

Wire mesh partitions are pre-engineered for easy installation allowing unrestricted visibility and total air circulation. Low initial cost and maintenance. Constructed of 10 Gauge 1 1/2" diamond woven wire in a channel frame. Partitions are provided complete with galvanized top cap. Hardware is zinc plated. (Anchors optional). Ceiling adds to overall height. Standard color is dark gray.

Single sliding doors fit most needs.




These doors are complete and ready to install. Padlock lugs are standard. Doors are mounted outside. Closes to the right or left. Allow 1' from corner. Cylinder lock optional on all

doors, order part no. 301406. Shipped KD.

How to order

Make a rough floor plan of area to be enclosed. Note overall measurements. Call us at 1-800-3381382 for design assistance.



Standard Wire Panels

Part No.	Width	Wt.
7' High		
300103	3'	31
300104	4'	39
300105	5'	46
8' High		
300109	3'	35
300110	4'	43
300111	5'	51
10' High		
300121	3'	41
300122	4'	51
300123	5'	60

Part No.	Width	Wt.
8' High (1' Transom)		
300452	3'	94
300458	4'	108
300464	5'	123
300470	6'	179

Part No.	Width	Wt.
10' High (3' Transom)		
300454	3'	106
300460	4'	118
300466	5'	135
300472	6'	202

Part No.	Width	Wt.
7' High (No Transom)		
300551	3'	111
300569	6'	197
300575	8'	230
300581	10'	262

Part No.	Width	Wt.
8' High (No Transom)		
300564	5'	154
300570	6'	210
300576	8'	245
300582	10'	278

Part No.	Width	Wt.
10' High (No Transom)		
300566	5'	167
300572	6'	238
300578	8'	275
300584	10'	305



Hinged doors are complete and ready to install. Padlock lugs are standard. Standard doors are hinged left - swing out, but can be reversed to hinged right - swing in. Cylinder lock optional, order part no. 301402. Shipped KD.

Part No.	Width	Wt.
7' High (No Transom)		
300721	3'	61
300727	4'	68
8' High (1' Transom)		
300722	3'	67
300728	4'	75
10' High (3' Transom)		
300724	3'	72

jesco® BULK STORAGE LOCKERS

Modular three sided units provide safe, secure storage for apartments, town house basement areas, office buildings, shops, factories, etc. Units are designed to expand with your needs. Easy to install. Order one starter unit per run, then attach Add-On Units as needed. 2" x 1" x 10 gauge woven rectangular mesh permits maximum air movement. Units are padlockable with steel frames which attach easily to existing walls. Double tier unit comes with reinforced galvanized shelf. Hardware is included (**tops, roofs, backs and floor anchors are optional**). Single or double tier units are 90" high. **For full height doors (no transoms), append FH to the part number.** Full height doors are reversible to hinge on either side. Choice of 3' or 4' widths. Painted dark gray.

SINGLE TIER



Industrial storage application

W' x D'	Starter		Add-on	
	Part No.	Wt.	Part No.	Wt.
3 x 3	380305	147	380365	108
3 x 4	380310	164	380370	116
3 x 5	380315	181	380375	125
4 x 3	380320	153	380380	114
4 x 4	380325	170	380385	122
4 x 5	380330	187	380390	131

DOUBLE TIER

W' x D'	Starter		Add-on	
	Part No.	Wt.	Part No.	Wt.
3 x 3	380335	170	380395	131
3 x 4	380340	195	380400	147
3 x 5	380345	220	380405	154
4 x 3	380350	189	380410	150
4 x 4	380355	208	380415	164
4 x 5	380360	242	380420	187

jesco® WELDED STORAGE LOCKERS



- Employee lockers
- Small package storage
- Equipment storage

Welded 3 door heavy duty storage lockers. 1 1/4" x 1 1/4" x 1/8" angle frame work, 13 gauge shelves, 2" x 1" 10 gauge woven wire mesh sides. Units are 75" high and have 21" clearance between shelves. Each door is equipped with separate padlock lugs. Painted dark gray.

Part No.	W"	x	L"	Wt.
383120	18		18	121
383140	24		24	170
383160	30		30	216
383180	36		36	274

jescogARD®

jescogARD Machinery and Rack Guards

Applications to protect your expensive racking, electrical panels, production equipment and machinery.. Available in 36" and 48" lengths, 10", 24" and 42" heights. All joints are continuously welded. Anchors not included. Painted safety yellow.



jescogARD Machinery/Rack Guards

Part No.	Width	x	Height	Wt.
131751	36"		10"	78
131753	48"		10"	90
131761	36"		24"	105
131763	48"		24"	116
131771	36"		42"	140
131773	48"		42"	151

Technical Data

Tube: 5" x 5" x $\frac{3}{16}$ "

Base: 10" x 10" $\frac{5}{8}$ "

Recommended anchors: $\frac{3}{4}$ " x 6 $\frac{1}{4}$ "

jescogARD Extra Heavy Duty Welded Rail System

Designed to meet your most severe guarding needs. All joints are continuously welded for maximum strength. Welded rail system has open ends but optional end caps are available. Painted safety yellow. Anchors not included.



Technical Data

Tube: 4" x 4" x 7 gauge

Base: 10" x 10" $\frac{5}{8}$ "

Recommended anchors: $\frac{3}{4}$ " x 6 $\frac{1}{4}$ "

jescogARD EHD Welded Rail System

Part No.	Desc.	Length	Height	Wt.
131601	Single	4'	15"	86
131603	Single	6'	15"	129
131605	Single	8'	15"	172
131611	Double	4'	29 $\frac{1}{2}$ "	139
131613	Double	6'	29 $\frac{1}{2}$ "	209
131615	Double	8'	29 $\frac{1}{2}$ "	278
131621	Triple	4'	44"	192
131623	Triple	6'	44"	288
131625	Triple	8'	44"	384
131631	Single, Corner	3'6"	15"	135
131633	Double, Corner	3'6"	29 $\frac{1}{2}$ "	220
131635	Triple, Corner	3'6"	44"	305

jesco
— Since 1932 —[®]

From the simplest to the complex, Jesco does it best!

Jesco Industries, Inc.
PO Box 388
Litchfield, MI 49252-0388

Tel: 800-455-0748
Fax: 517-542-2501
Web site: www.JescoOnline.com