

NEW!
E-THANE WHEELS

Want a wheel that is long-lasting, but won't break your budget?

Albion introduces NEW E-thane wheels that offer longer life, floor protection, and noise reduction, all at an economic price.

These wheels reject metal chips, debris, and other items that can be harmful to the wheel, and eventually the equipment that it supports. Use Albion E-thane wheels in applications where equipment protection is important.

These wheels help to reduce noise, and offer outstanding floor protection. Due to this, soft polyurethane E-thane wheels are perfect for ergonomic applications.

Some applications where soft poly wheels are ideal include:

- Aerospace
- Conveyor systems
- Turn tables
- Drive rollers
- And more!



FEATURES

- Hardness: 80 Shore A
- Wheel Face: Crown
- Finish: Red-orange on grey core
- Temperature Range: -40°F up to 180°F

NEW!

E-THANE WHEELS

Wheel Diameter (Inches)	Tread Width (Inches)	Capacity (Lbs) (Metric: mm/over)	Hub Length (Inches)	Bore ID (Inches)	Bearing ID (Inches)	Approx. Wt. (Lbs)	Wheel Number Roller Bearing (01)	Wheel Number Tapered Roller Bearing (09)
3-1/4	1-5/8	360	1-5/8	1-3/16	1/2	1	PY031010880A	
3-1/4	1-5/8	360	1-5/8	1-3/16	5/8	1	PY031011080A	
3-1/4	1-5/8^A	360	1-5/8	1-3/16	3/4	1	PY031011280A	
3-1/4	2-3/16	460	2-3/16	1-3/16	1/2	1-1/4	PY032010880A	
3-1/4	2-3/16	460	2-3/16	1-3/16	5/8	1-1/4	PY032011080A	
3-1/4	2-3/16	460	2-3/16	1-3/16	3/4	1-1/4	PY032011280A	
3-1/4	3-1/4	730	3-1/4	1-15/16	1	3	PY035011680A	
3-1/4	3-1/4	730	3-1/4	1-15/16	1-1/4	3	PY035012080A	
3-1/4	4-1/4	940	4-1/4	1-15/16	1	3-3/4	PY037011680A	
3-1/4	4-1/4	940	4-1/4	1-15/16	1-1/4	3-3/4	PY037012080A	
3-1/4	4-1/4	940	4-1/2	1-15/16	3/4	3-3/4		PY037091280A
5	2-1/2	1100	2-3/4	1-15/16	1	8	PY054051680A	
5	2-1/2	1100	3-1/4	1-15/16	1	8-1/2	PY054011680A	
5	2-1/2	1100	3-1/4	1-15/16	1-1/4	8-1/2	PY054012080A	
5	3	1310	3-1/4	1-15/16	1	9	PY055011680A	
5	3	1310	3-1/4	1-15/16	1-1/4	9	PY055012080A	
5	3	1310	3-1/2	1-15/16	3/4	8-1/2		PY055091280A
6	1-1/2	720	1-5/8	1-3/16	1/2	4	PY061010880A	
6	1-1/2	720	1-5/8	1-3/16	5/8	4	PY061011080A	
6	1-1/2^A	720	1-5/8	1-3/16	3/4	4	PY061011280A	
6	2	1050	2-3/16	1-7/16	7/8	6	PH062011480A	
6	2	1050	2-3/16	1-7/16	1	6	PH062011680A	
6	2-1/2	1380	2-3/4	1-3/16	3/4	6-3/4	PY064071280A	
6	2-1/2	1380	2-3/4	1-15/16	1	11	PY064051680A	
6	2-1/2	1380	3-1/4	1-15/16	1	10-1/2	PY064011680A	
6	2-1/2	1380	3-1/4	1-15/16	1-1/4	10-1/2	PY064012080A	
6	2-1/2	1380	3-1/2	1-15/16	3/4	10-1/2		PY064091280A
6	3	1740	3-1/4	1-15/16	1	13-3/4	PY065011680A	
6	3	1740	3-1/4	1-15/16	1-1/4	13-3/4	PY065012080A	
6	3	1740	3-1/2	1-15/16	3/4	13-1/4		PY065091280A
6	3	1740	3-1/2	1.98	1	13-1/4		PY065091680A
8	2-1/2	1710	3-1/4	1-15/16	1	13	PY084011680A	
8	2-1/2	1710	3-1/4	1-15/16	1-1/4	13	PY084012080A	
8	2-1/2	1530	2-3/4	1-15/16	1	13	PY084051680A	
8	2-1/2	1360	2-3/4	1-15/16	3/4	9-3/4	PY084071280A	
8	2-1/2	1710	3-1/2	1-15/16	3/4	12-3/4		PY0840912
8	3	2150	3-1/4	1-15/16	1	16	PY085011680A	
8	3	2150	3-1/4	1-15/16	1-1/4	16	PY085012080A	
8	3	2150	3-1/2	1-15/16	3/4	15-3/4		PY085091280A
8	3	2150	3-1/2	1.98	1	15-3/4		PY085091680A
8	3	2150	3-1/2	2.33	1-1/4	15-3/4		PY085092080A
8	3	2150	3-1/4	2-7/16	1-1/4	15-1/2	PH085012080A	
8	3	2150	3-1/4	2-7/16	1-1/2	15-1/2	PH085012480A	
8	4	2980	4-1/4	2-7/16	1-1/4	23-3/4	PY087012080A	
8	4	2980	4-1/4	2-7/16	1-1/2	23-3/4	PY087012480A	
8	4	2980	4-1/2	2-7/16	1	22-1/2		PY087091680A
8	4	2980	4-1/2	2-7/16	1-1/4	22-1/2		PY087092080A
10	2-1/2	2020	3-1/4	1-15/16	1	17-1/4	PY104011680A	
10	2-1/2	2020	3-1/4	1-15/16	1-1/4	17-1/4	PY104012080A	
10	2-1/2	2020	2-3/4	1-15/16	1	17-1/2	PY104051680A	
10	3	2550	3-1/4	1-15/16	1	20-1/2	PY105011680A	
10	3	2550	3-1/4	1-15/16	1-1/4	20-1/2	PY105012080A	
10	3	2550	3-1/2	1-15/16	3/4	20		PY105091280A
10	3	2550	3-1/2	1.98	1	20		PY105091680A
10	3	2550	3-1/2	2.33	1-1/4	20		PY105092080A
10	3	2550	3-1/4	2-7/16	1-1/4	19-3/4	PH105012080A	
10	3	2550	3-1/4	2-7/16	1-1/2	19-3/4	PH105012480A	
10	4	3570	4-1/4	2-7/16	1-1/4	30-1/4	PY107012080A	
10	4	3570	4-1/4	2-7/16	1-1/2	30-1/4	PY107012480A	
10	4	3570	4-1/2	2-7/16	1	29		PY107091680A
10	4	3570	4-1/2	2-7/16	1-1/4	29		PY107092080A
10	5	4250	5-1/4	2-7/16	1-1/4	41-1/4	PY108012080A	
10	5	4250	5-1/4	2-7/16	1-1/2	41-1/4	PY108012480A	
10	5	4250	5-1/2	2-7/16	1	39-1/4		PY108091680A
10	5	4250	5-1/2	2-7/16	1-1/4	39-1/4		PY108092080A
12	2-1/2	2300	3-1/4	1-15/16	1	22-3/4	PY124011680A	
12	2-1/2	2300	3-1/4	1-15/16	1-1/4	22-3/4	PY124012080A	
12	2-1/2	2300	2-3/4	1-15/16	1	22	PY124051680A	
12	3	2910	3-1/4	1-15/16	1	28-1/4	PY125011680A	
12	3	2910	3-1/4	1-15/16	1-1/4	28-1/4	PY125012080A	
12	3	2910	3-1/2	1-15/16	3/4	28		PY125091280A
12	3	2910	3-1/2	1.98	1	28		PY125091680A
12	3	2910	3-1/2	2.33	1-1/4	28		PY125092080A
12	3	2910	3-1/4	2-7/16	1-1/4	27-1/2	PH125012080A	
12	3	2910	3-1/4	2-7/16	1-1/2	27-1/2	PH125012480A	
12	3-1/2	3500	4-1/4	2-7/16	1-1/4	31-1/2	PY126012080A	
12	3-1/2	3500	4-1/4	2-7/16	1-1/2	31-1/2	PY126012480A	
12	3-1/2	3500	4-1/2	2-7/16	1	30-1/2		PY126091680A
12	3-1/2	3500	4-1/2	2-7/16	1-1/4	30-1/2		PY126092080A
12	4	4080	4-1/4	2-7/16	1-1/4	36-3/4	PY127012080A	
12	4	4080	4-1/4	2-7/16	1-1/2	36-3/4	PY127012480A	
12	4	4080	4-1/2	2-7/16	1	35-1/2		PY127091680A
12	4	4080	4-1/2	2-7/16	1-1/4	35-1/2		PY127092080A
12	5	5100	5-1/4	2-7/16	1-1/4	48	PY128012080A	
12	5	5100	5-1/4	2-7/16	1-1/2	48	PY128012480A	
12	5	5100	5-1/2	2-7/16	1	47		PY128091680A
12	5	5100	5-1/2	2-7/16	1-1/4	47		PY128092080A
14	4	4250	4-1/4	2-7/16	1-1/4	48-1/2	PY147012080A	
14	4	4250	4-1/4	2-7/16	1-1/2	48-1/2	PY147012480A	
14	4	4250	4-1/2	2-7/16	1	47-1/2		PY147091680A
14	4	4250	4-1/2	2-7/16	1-1/4	47-1/2		PY147092080A
16	3	3630	4-1/4	2-7/16	1-1/4	51	PY165012080A	
16	3	3630	4-1/4	2-7/16	1-1/2	51	PY165012480A	
16	3	3630	4-1/2	2-7/16	1	49-3/4		PY165091680A
16	3	3630	4-1/2	2-7/16	1-1/4	49-3/4		PY165092080A
16	4	5080	5-1/4	2-7/16	1-1/4	65	PY167012080A	
16	4	5080	5-1/4	2-7/16	1-1/2	65	PY167012480A	
16	4	5080	5-1/2	2-7/16	1-1/4	63		PY167092080A
16	5	6550	5-1/4	2-7/16	1-1/4	85	PY168012080A	
16	5	6550	5-1/4	2-7/16	1-1/2	85	PY168012480A	
16	5	6550	5-1/4	3-1/16	1-3/4	85	PY168012880A	
16	5	6550	5-1/4	3-1/4	2	85	PY168013280A	
16	5	6550	5-1/2	2-7/16	1-1/4	85		PY168092080A
18	3	3910	4-1/4	2-7/16	1-1/4	59	PY185012080A	
18	3	3910	4-1/4	2-7/16	1-1/2	59	PY185012480A	
18	3	3910	4-1/2	2-7/16	1-1/4	57-3/4		PY185092080A
18	4	5530	5-1/4	2-7/16	1-1/4	83	PY187012080A	
18	4	5530	5-1/4	2-7/16	1-1/2	83	PY187012480A	
18	4	5530	5-1/2	2-7/16	1-1/4	81-3/4		PY187092080A
18	5	7140	5-1/4	2-7/16	1-1/2	89	PY188012480A	
18	5	7140	5-1/4	3-1/16	1-3/4	89	PY188012880A	
18	5	7140	5-1/4	3-1/4	2	89	PY188013280A	
18	5	7140	5-1/2	2-9/16	1-1/2	87-3/4		PY188092480A
6	3	1740	3-1/4	1-15/16	1	13-3/4	PX065011680A	
6	3	1740	3-1/4	1-15/16	1-1/4	13-3/4	PX065012080A	
6	3	1740	3-1/2	1-15/16	3/4	13-1/4		PX065091280A
6	3	1740	3-1/2	1.98	1	13-1/4		PX065091680A
8	2-1/2	1710	3-1/4	1-15/16	1	13	PX084011680A	
8	2-1/2	1710	3-1/4	1-15/16	1-1/4	13	PX084012080A	
8	2-1/2	1710	3-1/2	1-15/16	3/4	12-3/4		PX084091280A
8	3	2150	3-1/4	1-15/16	1	16	PX085011680A	
8	3	2150	3-1/4	1-15/16	1-1/4	16	PX085012080A	
8	3	2150	3-1/2	1-15/16	3/4	15-3/4		PX085091280A
8	3	2150	3-1/2	1.98	1	15-3/4		PX085091680A
8	4	2980	4-1/4	2-7/16	1-1/4	23-3/4	PX087012080A	
8	4	2980	4-1/4	2-7/16	1-1/2	23-3/4	PX087012480A	
8	4	2980	4-1/2	2-7/16	1	22-1/2		PX087091680A
8	4	2980	4-1/2	2-7/16	1-1/4	22-1/2		PX087092080A
10	2-1/2	2020	3-1/4	1-15/16	1	17-1/4	PX104011680A	
10	2-1/2	2020	3-1/4	1-15/16	1-1/4	17-1/4	PX104012080A	
10	3	2550	3-1/4	1-15/16	1	20-1/2	PX105011680A	
10	3	2550	3-1/4	1-15/16	1-1/4	20-1/2	PX105012080A	
10	3	2550	3-1/2	1-15/16	3/4	20		PX105091280A
10	3	2550	3-1/2	1.98	1	20		PX105091680A
10	3	2550	3-1/2	2.33	1-1/4	20		PX105092080A
10	4	3570	4-1/4	2-7/16	1-1/4	30-1/4	PX107012080A	
10	4	3570	4-1/4	2-7/16	1-1/2	30-1/4	PX107012480A	
10	4	3570	4-1/2	2-7/16	1	29		PX107091680A
10	4	3570	4-1/2	2-7/16	1-1/4	29		PX107092080A
12	3	2910	3-1/4					